

JavaScript

functions

`main`

conditions

```
if (condition)
{
    // do this
}
else if (condition)
{
    // do that
}
else
{
    // do this other thing
}
```

Boolean expressions

```
if (condition || condition)
{
    // do this
}
```

Boolean expressions

```
if (condition && condition)
{
    // do this
}
```

switches

```
switch (expression)
{
    case i:
        // do this
        break;

    case j:
        // do that
        break;

    default:
        // do this other thing
        break;
}
```

loops

```
for (initializations; condition; updates)
{
    // do this again and again
}
```

loops

```
while (condition)
{
    // do this again and again
}
```


loops

```
do  
{  
    // do this again and again  
}  
while (condition);
```

loops

```
for (var i in object)
{
    // do this with object[i]
}
```

arrays

```
var numbers = [4, 8, 15, 16, 23, 42];
```

variables

```
var s = "hello, world";
```

objects

```
var student = {  
  id: 1,  
  name: "Rob Bowden"  
};
```

JSON

```
var staff = [  
  {  
    "id": 1,  
    "name": "Rob Bowden"  
  },  
  {  
    "id": 2,  
    "name": "Tim Griesser"  
  },  
  {  
    "id": 3,  
    "name": "David Malan"  
  }  
];
```